Walcom®

THE FIRST IN QUALITY, PRECISION & PERFORMANCE

THE WORLDS MOST ADVANCED SPRAY GUNS

360 TRUE LIGHT EVO METER

The first light with integrated distance digital meter. Set your distance and keep it in control. Real time feedback with LED arrows to indicate if too close or too far from your preset distance. Go-pro compatible integrated system with magnetic kit for standalone use. True sun light for easier mottle control and color match checking Circular LED ring enclosed in anodized aluminium, guarantees perfect and regular lighting of the painting surface.

Made In ITALY

TRUE LIGHT Videos & info

360 TRUE LIGHT EVO METER

WITH DIGITAL DISTANCE METER

FITS ALMOST ANY SPRAY GUN

#60176 EVO METER
**gun sold separately*

INTEGRATED DISTANCE METER

- True sun light for easier mottle control & colour match checking
- Protective and replaceable opaque lens PAT. PEND. (#90240 10 pk Covers)
- Adjustable brightness
- 5 universal air cap ring adapters to fit almost any spray gun
- Carbon Fiber shell, anodized aluminium heat ring
- Rechargeable li-Ion battery, 2hr duration at max power
- ATEX approved

#60176 True Light EVO Meter
#60172 True Light EVO

SEE THE LIGHT !

#60172 EVO

www.walcom-aus.com

GENESI CARBONIO 360 EVO

EVO represents the ULTIMATE in spray gun handling & performance. Equipped with a revolutionary integrated airflow regulator and quick-release digital gauge. This technology has not been seen in other spray guns Only 340grams with no bulky regulator to weigh it down or get in the way.

Body: Carbon fiber, Nano protective treated over forged aluminium skeleton
Regulator: fully Integrated
Gauge: Quick release digital
Cup: POM White Pot 680cc
Air cap: "anticorodal" anodised aluminium
Air cap ring: carbon fiber
Needle: stainless steel AISI 303
Nozzle: lightened stainless steel ANSI 303
Weight: 340g (gun only)
Working pressure: 0.5~2.5bar
Air consumption: 350l/min at 2 bar
Packaging: plastic eco box
Set-Up: 1.2, 1.3

*(special order sizes available) ***

Made In ITALY

ULTIMATE PERFORMANCE

360 EVO comes with...
Carbon fiber gun, Integrated regulator, Digital gauge, 680CC Pot, Nano coating, In-pot filters, Rebuild kit, Gun Wrench, Oil, Cleaning brush & Storage case

CLEAR (#W0130**)
High Atomisation & Low Over spray Effortless clear coating of MS, HS & UHS clears. Wide fan pattern with even paint distribution. The wide and precise range on the paint control regulation allow painters to find the best setting for their own personal spraying style.

BASE (#W0230**)
High Atomisation & Low Over spray Perfect layout with proper distribution and flow orientation of pearls and pigments, 12 hole nozzle, with precise and wide range of adjustment for fan and paint flow. Waterborne or solvent.

GEO (#W043012)
HVLP with dual atomising nozzle technology, 6 pre-atomising holes, air-splitting technology, excellent product lay out. A unique system that delivers incredible performance. Waterborne or solvent.

HVLP (#W0330**)
For those wanting HVLP, this is a perfect professional spray gun for both waterborne and solvent base coats and clear coats.

MP CLEAR **AIR CAP**

For Showroom & Custom finishes, Flow-coats and mirror like gloss off the gun!

HI-GLOSS OTG!

MAGNETIC **360 GUN HOLDER**

#60171

GENESI
[13]Alluminio

The classic Genesi Topline reincarnate into a super light, totally smooth, aluminium body. Alluminio delivers professional high-performance, painting and comfort. High Atomisation, Low over spray technology. Available in HTE Base, HTE Clear and HVLP.

Body: anodised forged aluminium
Reg & Gauge: Al[13] reg & gauge
Cup: POM White Pot 680cc
Air cap: "anticorodal" anodised aluminium
Air cap ring: anodised aluminium
Needle-Nozzle: stainless steel AISI 303
Weight: 415g (gun only)
Working pressure: 0.5~2.5bar
(Compliant HTE max 2 bar - HVLP at 2 bar)
Air consumption: 350l/min at 2 bar
Packaging: plastic eco box
Set-Up: 1.2, 1.3 *(special order sizes available)*

PROFESSIONAL PERFORMANCE

#W0530** (Clear)
#W0630** (Base)
#W073013 (HVLP)

[13]Al ANODISED REGULATOR

SLIM KOMBAT

KEVLAR® SPRAY GUN BUILT TO WIN BATTLES

An all rounder for performance and advanced technology! For clears, base coats, primers & sealers. Automotive, marine, industrial & more... this gun handles it all. For over a decade SLIM has been synonymous with quality, reliability, value and versatility. KOMBAT is built on this foundation and is embraced by professional and DIY painters all over the world. KOMBAT incorporates a unique and revolutionary version of the spray gun. With the inclusion of advanced spray gun technologies and a lightweight Kevlar® body, this spray gun is a game changer! High Atomisation and Low Over spray technology.

Body: Kevlar® fiber, die cast magnesium
Reg & Gauge: Analogue reg & gauge
Cup: white pot 680cc
Air cap: anodised aluminium
Air cap ring & Trigger: Kevlar® fiber
Needle-Nozzle: stainless steel AISI 303
Weight: 340g (gun only)
Working pressure: 0.5~2.5bar
(Compliant HTE max 2 bar - HVLP at 2 bar)
Air consumption: 350l/min at 2 bar
Packaging: plastic eco box
Set-Up: 1.0, 1.2, 1.3, 1.4, 1.5, 1.7, 1.9, 2.2, 2.5mm

BATTLE READY ALL ROUNDER

KOMBAT CAMO GREEN
#8030**

KOMBAT NERO BLACK
#8030**-NE

KOMBAT KILLER
LIMITED EDITION
#803013-NA

KOMBAT SP
#8080**-3/8

EGO CARBONIO 190

MINI TOUCH-UP / SMART GUN

EGO 190 Carbon fiber & digital. Attention to every small detail plus all the features of the 360 CARBONIO. All packed into the ULTIMATE performance Mini Gun.

EGO 190 leads with performance & features and is the most advanced mini gun on the market.

Quick release Digital pressure gauge and air control regulator, made of carbon fiber swivel fitting.

High Atomisation & Low Over spray

Body: Carbon fiber with Nano coating technology
Regulator: Carbon fiber
Gauge: Carbon fiber, digital, quick release
Pots: 75CC & 180CC, **Trigger:** carbon fiber
Air cap: anodized aluminium
Needle & Nozzle: stainless steel AISI 303
Seal gaskets: Self-lubricating and adjusting PTFE (Teflon)
Weight: 190g, **Packaging:** plastic eco box
Working pressure: 0.5 – 2.0 bar
Air consumption: 145 l/min
Set-Up: 0,5 0,7 1,0 1,2 1,4 (HVLP available)

#7030** (HTE)
#7130** (HVLP)

SMART

MINI GUN BIG PERFORMANCE

SLIM XLIGHT

PROFESSIONAL PRIMER GUN

Attractive, light and reliable performance. XLIGHT is professional PRIMER spray gun with Italian build quality! Lightweight anodised aluminium air cap with Kevlar® air cap ring & trigger. XLIGHT's smooth laser etched matte nickel finish, making it more attractive and easier to clean with no bas-reliefs for paint to catch in. XLIGHT is also suited as a DIY painters all rounder for primers, clears and base coats.



Body: laser etched, matte nickle finished aluminium
Reg & Gauge: Analogue reg & gauge
Cup: white pot 680cc
Air cap: anodised aluminium
Air cap ring & Trigger: PPA / Glass fiber
Needle-Nozzle: stainless steel AISI 303
Weight: 450g (gun only)
Working pressure: 0.5~2.5bar
(Compliant HTE max 2 bar - HVLP at 2 bar)
Air consumption: 350l/min at 2 bar
Packaging: plastic eco box

PROFESSIONAL PRIMER DIY ALL ROUNDER

Set-Up: 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.7, 1.8, 1.9, 2.2, 2.5mm
Set-Up HVLP: 1.7 & 1.9mm

#8230**
#8330** (HVLP)

#8280**-3/8

#823012-UV

EVO 360 MASK

PAPR - Powered Air Purifying Respirator

CE, AS/NZS, ANSI compliant
ATEX approved
TH3 Certified

Walcom

Hose free, battery operated, air breathing filtration
Practical and light (only 2 Kg)
No impediment to movement

3 air flow speed levels
Long battery life (up to 18hrs)
Speed 1, 18 hours 170 l/min
Speed 2, 15 hours 210 l/min
Speed 3, 12 hours 240 l/min

Fast charging: 80% in 30 minutes
Large visor with 90° opening locking system

EVO 360 MASK
#50423/W

The **360 EVO Mask** is the perfect companion for anyone that works in heavily polluted, smelly or even toxic environments. Protects user from organic, inorganic and acidic gases and vapors. Great for contract painters and workers, with no need to rely on an unknown filtration system.

Highest safety class **(TH3) respiratory protection** from fumes, gas, smoke, aerosols, and dust. Integrated, automatic air flow control and calibration. ATEX Zone 2 and 22 certified

What is ATEX & explosive atmospheres?
An explosive atmosphere is one in which materials such as gases, vapors or dusts reach a concentration which, together with air or oxygen, can trigger an explosion.

Natural processes, industrial activities or human error can all cause explosive atmospheres. Explosive atmospheres mostly occur indoors, but are also found outdoors, for example in mines.

ATEX = "ATmosphere EXplosible" and refers to the safety of equipment and systems such as the **360 EVO Mask**. ATEX-certified equipment and systems must be used when explosive atmospheres can occur.

Examples of explosive materials are:
Flammable gases such as methane, propane and butane
Flammable vapors such as paints, petrol, diesel, thinners and alcohol
Combustible dusts such as wood, metal and plastic dusts

99.8% Fresh air cleaned air where you need it. Purified air is fed directly to your mouth and nose via internal channel. Integrated cooling vent provides forehead with an adjustable air outlet with up to 20% of the air flow onto your forehead. Pleasantly soft and no more eye irritation!

EVO 360 MASK
TH3 Filter System

Adjustable & directable airflow

Mask website, videos & more info...

EVO 360 Mask system includes:
Mask & power unit, hose, leather belt & charge cord
25x Pre-filters #50428/W
1x TH3P Master filter #50426/W
1x A1B1E1 Charcoal filter #50427/W
10x Visor tear offs #50430/W

CERTIFICATIONS / STANDARDS

Classification:	EN166 Optical class = 1, EN175 Mechanical strength = BT
Shape stability:	Mask up to 220°C / 428°F, Front cover lens up to 137°C / 279°F
Operating temperature:	-10°C to + 70°C / 14°F to 158°F
Standards:	EN 166 / EN 175 / EN 12941:1998 TH3 / complies with CSA Z94.3, ANSI OS Z87+, EAC
PAPR helmet:	EN 166 / EN 169 / EN 170 / EN 12941:1998 TH3

Walcom blowers, gun wash machines and more...

ECODRY Light - 100% SILICONE FREE

The ECODRY Light is an efficient and easy to use water-based paint drying gun that by exploiting the Venturi system, increases the emitted air volume by about 15 times, thus significantly reducing drying times. The enormous generated volume of air, along with heat taken from the paint booth (20% mains air, 80% recycled air), allows for the fast evaporation of water residue. #60143

FAN JET Blowers & Stand

THERMODRY FANJET Hand Blower is revolutionary in design, concept and performance in air drying equipment. Venturi warm-air multiplying technology. A wide, gentle and even fan that is very controllable. When you are done it fits into your pocket or stick the magnetic version to your booth wall.

#60150 Fanjet blower #60150/MAG Magnetic Fanjet blower
#60167 Adjustable stand with 2x flexible arms.

Easy-S Gun Cleaning Machine

Solid state design ensures years of trouble free use.
3 Cleaning stages, AIR OPERATED

- Recycled solvent flow
- Clean solvent flow
- Atomised clean solvent flow
- Air venturi fume extraction
- ATEX Approved

Flat based cleaning bay ensure an easy-to-clean surface and a solid work space for stripping and re-assembling guns. #90061

ATEX APPROVED

Stone guard, Cavity Wax & Underbody Shutz Gun

Italian designed & made, lightweight construction with quality brass fittings and EU long-life PA12 EXTRA-FLEX hoses.
Applies single component soundproofing protective compounds.

Adjustable spray nozzle, Lightweight nylon body, EU Pot/Can thread
700mm long detachable cavity wax hose with brass fittings
2x Pick-up tubes 1x 120mm & 1x 230mm
#30023

Full range of spare and accessories now available. Contact your Walcom distributor or visit the Walcom Australia website for more information.

www.walcom-aus.com @walcomaustralia walcomaustralia

Walcom® AUSTRALIA
5-7 Keith Campbell Crt, Scoresby, Victoria, 3179
p: 03 9764 2088
www.walcom-aus.com

© Copyright 2024, All images, trademarks, designs and logos are protected and should not be used, copied or imitated in any way. Vincent River Pty Ltd.